

ASSET FINANCE
CORPORATION



2023 McCloskey R230 Screener



ASSET FINANCE CORPORATION



McCloskey R230 Heavy Duty Screener

Heavy-Duty Scalping Power | Built for High-Volume Screening | Rugged and Reliable

Location: Benoni

Hours: 2,984

Overview

- **Model:** McCloskey R230
- **Type:** Heavy Duty Track Mounted Screener
- **Application:** Aggregate, mining, demolition debris, topsoil, recycling
- **Known For:** Massive throughput, durability in extreme conditions, and quick setup

Why the R230?

- One of the most durable scalping screeners on the market
- Handles heavy overburden, blasted rock, and demolition debris with ease
- Low maintenance, high-performance screening with maximum uptime
- Ideal for contractors looking for production scale and ruggedness

Finance available on this machine. Contact our expert team today.



R230 Tech Specs

- Each track is powered by an automatic two-speed shift travel motor.

Engine	Kw	168
Stockpile Height – Tail conveyor	M	3,83
Stockpile Height – Mid conveyor	M	3,66
Stockpile Height – Fine Product conveyor	M	4,1
Screenbox Dimensions	M	6,1 x 1,83

Transport

Height	M	3,5
Length	M	16,97
Width	M	3,0
Weight – Belt Feeder	Kg	37 200
Weight – Apron Feeder	Kg	39 500
Slew reduction unit		2 x 6.5
Travel reduction unit		2 x 25
PTO gear box		1 x 7.5

Features

- 20' x 6' high-energy two-bearing screen box for optimal screening efficiency
- Adjustable screen angle and hydraulically folding conveyors
- Massive stockpiling capacity
- Fast setup and teardown time
- Fully tracked for maneuverability on-site
- Remote control for mobility and safety
- Massive stockpiling capacity
- Fast setup and teardown time
- Fully tracked for maneuverability on-site
- Remote control for mobility





McCloskey
INTERNATIONAL KEMACH

CAT DIESEL POWER

6 X 20 SCREEN

KEMACH





ASSET FINANCE CORPORATION

Office - 011 467 2990

(Sales & Finance) Mkhize Buso - 084 332 2464

(Technical) John Young - 082 777 1536

(Sales & Finance) Louis Lizemore - 066 243 2682

info@assetfincorp.co.za www.assetfincorp.co.za